

ROXON



Biomedical Refrigerators



1.800.361.6991 • www.roxon.ca

Upright refrigerators



17 cu. Ft.

SUACR1718MED
Glass Door

Model No.	SUACR1718MED
Cubic feet	17 cu. Ft
Temperature	2°C~8°C
Ambient Temp.	16°C~27°C
Casters/legs	4 legs
Shelves/Box	6
Exterior Dimensions (inches) (WxDxH)	27.63" x 24.75" x 79.25"
Interior Dimensions (inches) (WxDxH)	25" x 19.25" x 55.0"
Net/Gross Weight (lbs)	210/260
Warranty	parts & labor 1 year compressor 5 years

Accucold refrigeration unit ideal for storage of vaccines and pharmaceuticals. Self-closing door and open door alarm ensure items are not accidentally overexposed to warm temperatures.

- LED lighting
- Automatic defrost
- Self-closing door
- Factory installed lock
- Adjustable cantilevered shelves
- Digital thermostat
- High/Low Temperature alarm
- **5 year Compressor Warranty**



14 cu. Ft.

SUACR1415MED
Ext. Stainless Steel + Glass Door

Model No.	SUACR1415MED
Cubic feet	14 cu. Ft
Temperature	2°C~8°C
Ambient Temp.	16°C~27°C
Casters/legs	4 legs
Shelves/Box	4
Exterior Dimensions (inches) (WxDxH)	23.63" x 24.25" x 66.75"
Interior Dimensions (inches) (WxDxH)	20.5" x 19.5" x 44.5"
Net/Gross Weight (lbs)	170/210
Warranty	parts & labor 1 year compressor 5 years

14 cu.ft. pharmaceutical all-refrigerator with a glass door, lock, digital thermostat, and a stainless steel interior and exterior cabinet

- LED lighting
- Automatic defrost
- Self-closing door
- Factory installed lock
- Adjustable cantilevered shelves
- Digital thermostat
- High/Low Temperature alarm
- **5 year Compressor Warranty**

Upright refrigerators

Model No.	SUSCRR231MED
Cubic feet	23.0 cu. Ft
Temperature	0°C~10°C
Ambient Temp.	16°C~32°C
Casters/Legs	4 casters
Shelves/Box	3 shelves
Exterior Dimensions (inches) (WxDxH)	29.0" x 32.25" x 82.63"
Interior Dimensions (inches) (WxDxH)	21.0" x 26.88" x 51.25"
Net/Gross Weight (lbs)	282/309
Warranty	parts & labor 1 year compressor 5 years



Commercially / medically approved. Interior and exterior are entirely constructed from stainless steel for lasting durability and easy cleanup.

- Frost-free operation
- Self-closing door
- Front-mounted lock
- Adjustable cantilevered shelves
- Digital thermostat
- High/Low Temperature alarm
- **5 year Compressor Warranty**

SUSCRR231MED

Stainless Steel Interior and Exterior

Model No.	SUACR1151MED
Cubic feet	11 cu. Ft
Temperature	2°C~8°C
Ambient Temp.	10°C~32°C
Casters/legs	4 legs
Shelves/Box	6 shelves
Exterior Dimensions (inches) (WxDxH)	23.63" x 22.88" x 58.38"
Interior Dimensions (inches) (WxDxH)	19.38" x 17.75" x 50.25"
Net/Gross Weight (lbs)	141/160
Warranty	parts & labor 1 year compressor 5 years



Interior & Exterior are fully constructed from Stainless Steel. Heavy duty chrome shelves, easily adjustable.

*Option: Door Tint (4 diff. color avail.)

- LED lighting
- Double pane tempered glass door
- Heavy duty chrome shelving
- Internal fan
- Digital thermostat
- Frost-free operation
- Self closing door
- Factory installed lock
- High/Low Temperature alarm with external readout
- Hospital Grade "green dot" power cord
- **5 year Compressor Warranty**

SUACR1151MED

Stainless Steel Int/Ext. + Glass Door

Under-Counter refrigerators



SUFF7LBIMED2
Under-counter

Model No.	SUFF7LBIMED2
Cubic feet	5.5 cu. Ft
Temperature	2°C~8°C
Casters/legs	4 level legs
Shelves/Box	3
Exterior Dimensions (inches) (WxDxH)	23.63" x 23" x 33.75"
Interior Dimensions (inches) (WxDxH)	21.0" x 18.0" x 26.25"
Net/Gross Weight (lbs)	90/110
Warranty	parts & labor 2 years compressor 5 years

Built-in undercounter auto defrost medical/scientific all-refrigerator with front control panel equipped with a digital thermostat and NIST calibrated thermometer/alarm; includes front lock, hospital grade cord, and internal fan

- Digital thermostat
- High/low temperature alarm
- NIST calibrated temperature display
- Buffered temperature probe
- Factory installed lock
- Automatic defrost
- Internal fan
- Hospital grade cord with 'green dot' plug
- Adjustable wire shelves
- **5 year Compressor Warranty**



SUFF511LBIMED2
Under-counter

Model No.	SUFF511LBIMED2
Cubic feet	4.1 cu. Ft
Temperature	2°C~8°C
Casters/legs	4 level legs
Shelves/Box	3
Exterior Dimensions (inches) (WxDxH)	19.25" x 22.63" x 33.5"
Interior Dimensions (inches) (WxDxH)	15.75" x 17.25" x 28.5"
Net/Gross Weight (lbs)	70/90
Warranty	parts & labor 2 years compressor 5 years

Built-in undercounter auto defrost medical/scientific all-refrigerator with front control panel equipped with a digital thermostat and NIST calibrated thermometer/alarm; includes front lock, hospital grade cord, and internal fan

- Digital thermostat
- High/low temperature alarm
- NIST calibrated temperature display
- Buffered temperature probe
- Factory installed lock
- Automatic defrost
- Internal fan
- Hospital grade cord with 'green dot' plug
- Adjustable wire shelves
- **5 year Compressor Warranty**

Under-Counter refrigerators

Model No.	SUSCR600LBIMED2
Cubic feet	5.5 cu. Ft
Temperature	2°C~8°C
Casters/legs	4 level legs
Shelves/Box	
Exterior Dimensions (inches) (WxDxH)	23.63" x 24.0" x 33.5"
Interior Dimensions (inches) (WxDxH)	21.0" x 18.25" x 26.0"
Net/Gross Weight (lbs)	115/125
Warranty	parts & labor 2 years compressor 5 years



Built-in undercounter glass door medical/scientific allrefrigerator with digital thermostat, NIST calibrated thermometer/alarm, front lock, hospital grade cord, and internal fan

- Double pane tempered glass door
- Digital thermostat
- High/low temperature alarm
- NIST calibrated temperature display
- Buffered temperature probe
- Factory installed lock
- Automatic defrost
- Internal fan
- Hospital grade cord with 'green dot' plug
- Adjustable wire shelves
- **5 year Compressor Warranty**

SUSCR600LBIMED2
Under-counter

Counter-Top refrigerator

Model No.	FF28LWHMED2
Cubic feet	2.4 cu. Ft
Temperature	2°C~8°C
Casters/legs	2 level legs
Shelves/Box	2
Exterior Dimensions (inches) (WxDxH)	18.5" x 17.75" x 26.63"
Interior Dimensions (inches) (WxDxH)	15.5" x 13.5" x 20.5"
Net/Gross Weight (lbs)	45/65
Warranty	parts & labor 2 years compressor 5 years



Compact auto defrost medical/scientific all-refrigerator with digital thermostat, NIST calibrated thermometer/alarm, front lock, hospital grade cord, and internal fan

- Digital thermostat
- High/low temperature alarm
- NIST calibrated temperature display
- Buffered temperature probe
- Factory installed lock
- Automatic defrost
- Internal fan
- Hospital grade cord with 'green dot' plug
- Adjustable shelves
- **5 year Compressor Warranty**

SUFF28LWHMED2
Countertop Refrigerator

Counter-Top Freezer

Model No.	SUFS24LMED2
Cubic feet	1.4 cu. Ft
Temperature	-20°C~-15°C
Casters/legs	2 level legs
Shelves/Box	1
Exterior Dimensions (inches) (WxDxH)	18.5" x 17.63" x 21.75"
Interior Dimensions (inches) (WxDxH)	13.5" x 13.25" x 14.38"
Net/Gross Weight (lbs)	40/65
Warranty	parts & labor 2 years compressor 5 years



SUFS24LMED2
Counter-Top Freezer

Compact medical/scientific all-freezer with digital thermostat, NIST calibrated thermometer/alarm, and front lock

- Digital thermostat
- High/low temperature alarm
- NIST calibrated temperature display
- Buffered temperature probe
- Factory installed lock
- Manual defrost
- Hospital grade cord with 'green dot' plug
- Removable shelf
- **5 year Compressor Warranty**

Under-Counter Freezer

Model No.	SUVT65MLBIMED2
Cubic feet	3.2 cu. Ft
Temperature	-20°C~-30°C
Casters/legs	4 level legs
Shelves/Box	3 drawers
Exterior Dimensions (inches) (WxDxH)	23.63" x 23.5" x 33.75"
Interior Dimensions (inches) (WxDxH)	17.63" x 17.0" x 24.25"
Net/Gross Weight (lbs)	105/115
Warranty	parts & labor 2 years compressor 5 years



SUVT65MLBIMED2
Under-Counter Freezer

Built-in undercounter medical/scientific -25°C capable all-freezer with front control panel equipped with a digital thermostat and NIST calibrated thermometer/alarm

- Slim undercounter dimensions
- -25° C/-13° F capable
- Digital thermostat
- High/low temperature alarm
- NIST calibrated temperature display
- Buffered temperature probe
- Factory installed lock
- Manual defrost
- Hospital grade cord with 'green dot' plug
- **5 year Compressor Warranty**

ROXON BIOMEDICAL FRIDGE ACCESSORIES

Data Logger with LCD Display & Software

The standalone temperature logger ideal for use when transporting items that need to be monitored. The compact size makes it easy to place in the logged area without compromising capacity. This unit includes a protective transparent case that allows you to view the data without disrupting recording.

- Ideal for logging the temperature of materials during the transportation process
- Allows the user to program the logging intervals for more flexibility in data analysis
- LCD display lets you view the current, min/max, average, and mean kinetic temperature while recording
- Logs temperature directly to USB for easy analysis in your PC
- Downloadable software makes it easy to organize your data in graphical or tabular formats



Factory Installed Data Logger

(must be ordered at the time of refrigerator purchase)

DL2 Certified USB Data Logger With Temperature Alarm

- Compatible with virtually any refrigerator or freezer
- Lets users set their own recording intervals
- Temperature is recorded to a USB flash drive for analysis on any PC

Features:

- 0.5°C accuracy when operating in a -10 to 10°C range
- User-set logging intervals for convenient flexibility
- Includes a 4GB flash drive
- Compatible with any PC or Mac software
- Temperature sensor protected in glycol bottle
- Digital temperature display in Celsius or Fahrenheit
- High/low temperature alarm
- Factory-installed only with the initial refrigerator purchase



SUDL2KIT



Accucold Lock Boxes

For storage needs that require different levels of security, Accucod offers interior locking compartments for select refrigerators.

- Constructed from heavy gauge steel
- Secured by a dial combination lock
- Cannot be removed from the refrigerator
- Include a safety key that can override the combination if needed
- Ideal for keeping certain forms of medication, narcotics, samples, and other sensitive materials safe
- Must be factory installed at the time of the initial refrigerator purchase

Available for models:

(SU SCR610BLMED, SU SCR1156WMED, SU ARC1717MED), in white or stainless steel



SULOCKBOX



Additional Shelf Divider

Note:

- Additional shelving available for most models
- Special shelf divider available for SU ARC1717MED

ROXON BIOMEDICAL FRIDGE ACCESSORIES



PF1Kit

PF1 Power-out Alarm

AccuCold's PF1Kit is a power-out alarm designed to audibly warn users in the event of a power failure. Simply plug your own electrical device into the PF1 receptacle, and plug the grounded three-wire 15 amp PF1 cord into your wall outlet.

- Battery-powered alarm sounds in the event of power loss
- Specially equipped with a hospital grade cord for added safety
- Compatible with virtually any 115/120V appliance
- 'Green dot' plug



SPRF26M

Lightweight Portable Cooler/Freezer

- Portable 12V/24V cooler with sturdy handles for easy carrying
- Can operate as a refrigerator or freezer with the ability to reach and hold -18° C
- Electronic temperature controls with external LED temp display
- Interior offers 26 liters of capacity
- Plug into a 12V DC lighter socket in any car, truck, RV or boat
- Adapter included for use in 110V electrical outlet
- Tamper resistant lock installed for added security
- Trolley included for easy wheeled transport

Power Back-up Kit

1800 watts of power available from AC outlets provides approximately 4 hours of power.



KIHS1800-60-SOLAR-KIT
Battery backup 1800 w/1800W Inverter, 60Ah Battery,
WITH Solar panel

KIHS1800-60-00
Battery backup 1800 w/1800W Inverter, 60Ah Battery,
WITHOUT Solar panel



KIHSBX60-00
Home Solar Kit Auxiliary Battery Box



KIHSSP80-12
80 Watt Solar Panel



Inquire about our planned Preventative Maintenance Program to avoid unplanned expenses and keep your fridge fine-tuned and ready.

Temperature Alarm calibration and replacement also available